

C SAFEBOATS




SAFE 25

FULL CABIN







Length Overall (LOA) (feet)25'
Length Overall (meters)
Beam Overall (BOA) (feet)8'-6"
Beam Overall (meters)
Deadrise at Transom (degrees) 25
Draft (engine trimmed up) (inches) 20"
Max HP 500
Top Speed (knots)

Max Range (NM) 290 @ 30 knots
Fuel Cap (gal)
Seated Positions8
Dry Weight: vessel, no engines, no fuel, no options, no liquids, no people, no cargo (approximate) (lbs) 5,196
Light Load: dry weight, weight of heaviest engines (lbs)
Operational Load (lbs) 9,710

Cargo/Personnel Capacity-Net-Gross: minus weight of heaviest engines, weight of fuel, and options (lbs)2,600
Height on trailer - Road Transport (feet)9'
Length on trailer - Road Transport (feet)
Weight on Trailer (lbs)9,210
*All space features and GAs shown are

*All specs, features and GAs shown are subject to change



HULL & DECK

- 1/4" 5086 bottom plate
- Reinforced keel beaching plate
- Notched transom with speed shoe in bottom plate
- Performance wings below collars for increased lift and stabilization while maneuvering
- · Fully welded performance lifting strakes
- Self-bailing decks with high-volume scupper drains
- Forward cockpit with self-draining decks
- Bow storage/anchor locker with aft-facing door
- Dual aft rigging locker system with topside access
- Sacrificial hull anode(s)

SUPER STRUCTURE

- Three weather-tight doors in main cabin
- · Weather-tight, hinged cuddy access hatch
- Two (2) aft-sliding windows, port and starboard
- Cuddy with bench seating
- Overhead spotter windows (tinted)
- Tempered glass used in all windows
- Safety hand/grab rail system
- Swing down radar pod

CONSOLE & DASH

- Starboard side helm
- OHIP Over Head Instrument Panel

COLLAR SYSTEM

- Patented 100% foam SAFE XDR-1 Extreme Duty Reinforced collar system with black rubstrake
- Available collar colors include: black, blue, gray, orange, green, red

COATINGS, COVERINGS & LETTERING

- Marine-grade carpet and insulation
- Upholstered headliner
- Black mesh snap covers on interior storage box openings

TOWING, LIFTING & ATTACHMENT POINTS

- Six (6), 10" cast aluminum weld-on cleats
- Bow and stern lifting eyes
- Weld-on bow eye with dual stainless steel inserts
- Weld-on transom tie downs
- Fore and aft tow posts with single stainless steel cross pin
- Motor guard/tow line guide

ELECTRICAL SYSTEM & POWER GENERATION

- House battery system 12VDC one (1) marine-grade battery with switch
- Backlit switch panel with marine-grade switches
- Four (4) 12VDC power receptacles two (2) on dash and two (2) on arch
- Self-parking, intermittent windshield wiper system with washer

LIGHTING

- LED navigation lights (running and anchor)
- Independently controlled interior/exterior dimmable LED walkway lights
- Three (3) red/white dome lights two (2) in cabin, one (1) in cuddy

ELECTRONICS, NAVIGATION & COMMUNICATION

Navigation horn


SAFETY, RESCUE & DIVING EQUIPMENT

- Two (2) fire extinguishers
- Life ring mount
- Cabin dewatering pump, 1100 GPH
- CO detector(s) mounted in cabin

FUEL SYSTEM

- 100-gallon fuel tank with a formed bottom (1/4" 5086)
- EPA-compliant fill and vent system with integrated checkvalves, refueling vapors through carbon canister





PROPULSION

- Engines
- Engine(s) rigging
- Power assist steering upgrade

CONFIGURATION OPTIONS

- Bow Cover
- Sheer Deck
- Personnel Recovery Cut-Outs (collar)
- Electronically Actuated Drop Bow
- Aft Bimini Top
- Reinforced Push Knees
- Locker System(s)
- Additional Aft Shock Mitigating Crew Seats
- Upgraded Premium Shock Mitigating Crew Seats
- SAFE XDR-2 Upgrade (lines & D-rings)
- Topside/Cabin Paint
- Bottom Paint
- Interior Cabin Workstations
- Tow Line Storage Spool/Cover/Line
- Forward V-Birth Locker Bulkhead
- Sliding Cuddy Privacy Door/Privacy Curtain
- Davit/Electric Winch
- Engine Guard/Tow Line Guide (standard on some models)
- Tow Post(s) (standard on some models)

ELECTRONICS/LIGHTING

- Navigation Package(s)
- Side Scan Sonar
- Thermal/Low Light Camera Systems
- Loudhailer
- AIS
- Satellite Weather Receiver/Overlay
- VHF/UHF
- Wired/Wireless Intercom System
- EPIRB
- Chemical Biological Radiological Nuclear Detection Equipment (CBRNE)
- Law Enforcement Lighting Strobes/Bars (blue/red/amber)
- Searchlights
- Upgraded LED flood Lights
- Underwater Dive Lights
- Laptop Mounting/Docking Station(s)
- Customer Furnished Equipment (CFE) Installation

CREW COMFORT

- Generator
- Extreme Weather Generator Upgrade
- Air Conditioning
- Diesel Heater
- Shore Power
- Galley
- Head
- Fresh/Raw Water Washdown

OUTFIT

- Safety Kit
- Docking Kit
- Anchor Kit
- Personnel Flotation Device(s) (PFD)

TRAILERING

- Trailer with Bow Ladder
- Rolling Ship Yard Cradle

DOCUMENTATION

- Wire Label Package/Diagram(s)
- Drawing Package(s)
- Operator/Repair Manual(s)

MISCELLANEOUS

- Dive Ladder(s)
- Dive Tank Storage/Holders
- Dive Light Mast
- Tow Light Mast
- Gun Locks/Locker(s)
- Fire Fighting Pump/Engine Systems

*All specifications and standard features are subject to change. Not all options are available on all models. Please contact SAFE Sales Department for details.