





SPECIAL PURPOSE (EMT)







Length Overall (LOA) (feet)33'-4"
Length Overall (meters)10.2
Beam Overall (BOA) (feet)
Beam Overall (meters) 3.1
Deadrise at Transom (degrees) 25
Draft (engine trimmed up) (inches) 24"
Max HP1,050
Top Speed (knots) 42

Max Range (NM) 350 @ 28 knots
Fuel Cap (gal) 300
Seated Positions12
Dry Weight: vessel, no engines, no fuel, no options, no liquids, no people, no cargo (approximate) (lbs)
Light Load: dry weight, weight of heaviest engines (lbs)11,077
Operational Load (lbs)13,654

Cargo/Personnel Capacity-Net-Gross: minus weight of heaviest engines, weight of fuel, and options (lbs)
Height on trailer - Road Transport (feet) 12'
Length on trailer - Road Transport
(feet)46'-6"
Weight on Trailer (lbs) 12,934
*All specs, features and GAs shown are subject to change



HULL & DECK

- 5/16" 5086 bottom plate
- Reinforced keel beaching plate
- Stepped transom with speed shoe in bottom plate
- Performance wings below collars for increased lift and stabilization while maneuvering
- Fully welded performance lifting strakes
- Self-bailing decks with high-volume scupper drains
- Port and starboard bow storage/anchor lockers with topside access
- · Dual aft rigging locker system with topside access
- Transom inspection hatch
- Sacrificial hull anode(s)

SUPER STRUCTURE

- · Port, starboard and forward weather-tight doors
- Weather-tight, sliding, double aluminum aft doors
- Cabin/benches accommodate stokes litter/patient care
- Four (4) aft-sliding windows, two (2) port and two (2) starboard
- Overhead spotter windows (tinted)
- Tempered glass used in all windows
- Safety hand/grab rail system
- Swing down radar pod

CONSOLE & DASH

- Starboard side helm
- OHIP Over Head Instrument Panel

COLLAR SYSTEM

- · Port, starboard and forward weather-tight doors
- · Weather-tight, sliding, double aluminum aft doors
- Cabin/benches accommodate stokes litter/patient care
- Four (4) aft-sliding windows, two (2) port and two (2) starboard
- Overhead spotter windows (tinted)
- Tempered glass used in all windows
- Safety hand/grab rail system
- Swing down radar pod

COATINGS, COVERINGS & LETTERING

- Marine-grade carpet and insulation
- Upholstered headliner
- Black mesh snap covers on interior storage box openings

TOWING, LIFTING & ATTACHMENT POINTS

- Six (6), 10" cast aluminum weld-on cleats
- Custom fabricated weld-on pick eyes with stainless steel inserts
- · Weld-on bow eye with triple stainless steel inserts
- Weld-on transom tie downs
- Removable aft tow post with single stainless steel cross pin
- Motor guard/tow line guide

ELECTRICAL SYSTEM & POWER GENERATION

- House battery system 12VDC one (1) marine-grade battery with switch
- · Backlit switch panel with marine-grade switches
- Four (4) 12VDC power receptacles two (2) on dash and two (2) on arch
- · Self-parking, intermittent windshield wiper system with washer

LIGHTING

- · LED navigation lights (running and anchor)
- Independently controlled interior/exterior dimmable LED walkway lights
- Four (4) red/white dome lights in cabin

ELECTRONICS, NAVIGATION & COMMUNICATION

Navigation horn

CREW COMFORT

Two (2) ventilation fans

SAFETY, RESCUE & DIVING EQUIPMENT


- Three (3) fire extinguishers
- Life ring mount
- Cabin dewatering pump, 1100 GPH
- 1100 GPH bilge pump in outboard bracket
- Lightening protection system
- CO detector(s) mounted in cabin
- Telescoping swim ladder mounted on outboard bracket

FUEL SYSTEM

- 300-gallon fuel tank with a formed bottom (1/4" 5086)
- EPA-compliant fill and vent system with integrated checkvalves, refueling vapors through carbon canister







PROPULSION

- Engines
- Engine(s) Rigging
- Power Assist Steering Upgrade

CONFIGURATION OPTIONS

- Bow Cover
- Sheer Deck
- Personnel Recovery Cut-Outs (collar)
- Aft Bimini Top
- Locker System(s)
- Additional Aft Shock Mitigating Crew Seats
- Upgraded Premium Shock Mitigating Crew Seats
- SAFE XDR-2 Upgrade (lines & D-rings)
- Topside/Cabin Paint
- Bottom Paint
- Tow Line Storage Spool /Cover/Line
- Interior Cabin Workstations
- Davit/Electric Winch
- Engine Guard/Tow Line Guide (standard on some models)
- Tow Post(s) (standard on some models)

ELECTRONICS/LIGHTING

- Navigation Package(s)
- Side Scan Sonar
- Thermal/Low Light Camera Systems
- Loudhailer
- AIS
- Satellite Weather Receiver/Overlay
- VHF/UHF
- Wired/Wireless Intercom System
- EPIRB
- Chemical Biological Radiological Nuclear Detection Equipment (CBRNE)
- Law Enforcement Lighting Strobes/Bars (blue/red/amber)
- Searchlights
- Upgraded LED Flood Lights
- Underwater Dive Lights
- Laptop Mounting/Docking Station(s)
- Customer Furnished Equipment (CFE)
 Installation

CREW COMFORT

- Generator
- Extreme Weather Generator Upgrade
- Air Conditioning
- Diesel Heater
- Shore Power
- Fresh/Raw Water Washdown

OUTFIT

- Safety Kit
- Docking Kit
- Anchor Kit
- Personnel Flotation Device(s) (PFD)

TRAILERING

- Trailer with Bow Ladder
- Rolling Ship Yard Cradle

DOCUMENTATION

- Wire Label Package/Diagram(s)
- Drawing Package(s)
- Operator/Repair Manual(s)

MISCELLANEOUS

- Dive Ladder(s)
- Dive Tank Storage/Holders
- Dive Light Mast
- Tow Light Mast
- Gun Locks/Locker(s)
- Fire Fighting Pump/Engine Systems

*All specifications and standard features are subject to change. Not all options are available on all models. Please contact SAFE Sales Department for details.